


鉄筋コンクリート 大型フリューム

■大型フリューム


■形状図



※浮き上がり防止(t_4)は別途注文となります。

種類	載荷重 KN/m ²	土の内部摩擦角 度
I 種	10.00	30
II 種	15.00	25
III 種	20.00	20

■目地部



■規格表

呼び名 (h × a)	寸法 (mm)												参考重量 (kg)
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m	L	
700 × 1000	700	1000	950	1140	—	70	95	95	—	100			1124
700 × 1100	700	1100	1050	1240	1340	70	95	95	50	100			1170
700 × 1200	700	1200	1150	1340	1440	70	95	95	50	100			1215
700 × 1300	700	1300	1250	1440	1540	70	95	95	50	100			1261
700 × 1400	700	1400	1350	1540	1640	70	95	95	50	100			1306
700 × 1500	700	1500	1450	1640	1840	70	95	95	100	100	30	2000	1352
700 × 1600	700	1600	1550	1740	1940	70	95	95	100	100			1398
700 × 1700	700	1700	1650	1840	2040	70	95	95	100	100			1443
700 × 1800	700	1800	1750	1940	2140	70	95	95	100	100			1489
700 × 1900	700	1900	1850	2040	2240	70	95	95	100	100			1534
700 × 2000	700	2000	1950	2140	2440	70	95	95	150	100			1580

■規格表

呼び名 (h × a)	寸 法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
800×1000	800	1000	950	1140	1240	70	95	95	50	100			1204
800×1100	800	1100	1050	1240	1340	70	95	95	50	100			1250
800×1200	800	1200	1150	1340	1440	70	95	95	50	100			1295
800×1300	800	1300	1250	1440	1540	70	95	95	50	100			1341
800×1400	800	1400	1350	1540	1740	70	95	95	100	100			1386
800×1500	800	1500	1450	1640	1840	70	95	95	100	100	30	2000	1432
800×1600	800	1600	1550	1740	1940	70	95	95	100	100			1478
800×1700	800	1700	1650	1840	2040	70	95	95	100	100			1523
800×1800	800	1800	1750	1940	2240	70	95	95	150	100			1569
800×1900	800	1900	1850	2040	2340	70	95	95	150	100			1614
800×2000	800	2000	1950	2140	2440	70	95	95	150	100			1660

呼び名 (h × a)	寸 法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
900×1000	900	1000	950	1150	1250	75	100	100	50	100			1358
900×1100	900	1100	1050	1250	1350	75	100	100	50	100			1406
900×1200	900	1200	1150	1350	1450	75	100	100	50	100			1454
900×1300	900	1300	1250	1450	1550	75	100	100	50	100			1502
900×1400	900	1400	1350	1550	1750	75	100	100	100	100			1550
900×1500	900	1500	1450	1650	1850	75	100	100	100	100	30	2000	1598
900×1600	900	1600	1550	1750	1950	75	100	100	100	100			1646
900×1700	900	1700	1650	1850	2050	75	100	100	100	100			1694
900×1800	900	1800	1750	1950	2250	75	100	100	150	100			1742
900×1900	900	1900	1850	2050	2350	75	100	100	150	100			1790
900×2000	900	2000	1950	2150	2450	75	100	100	150	100			1838

呼び名 (h × a)	寸 法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
1000×1000	1000	1000	930	1150	—	75	110	110	—	150			1570
1000×1100	1000	1100	1030	1250	1350	75	110	110	50	150			1623
1000×1200	1000	1200	1130	1350	1450	75	110	110	50	150			1676
1000×1300	1000	1300	1230	1450	1550	75	110	110	50	150			1728
1000×1400	1000	1400	1330	1550	1650	75	110	110	50	150			1781
1000×1500	1000	1500	1430	1650	1850	75	110	110	100	150	30	2000	1834
1000×1600	1000	1600	1530	1750	1950	75	110	110	100	150			1887
1000×1700	1000	1700	1630	1850	2050	75	110	110	100	150			1940
1000×1800	1000	1800	1730	1950	2150	75	110	110	100	150			1992
1000×1900	1000	1900	1830	2050	2350	75	110	110	150	150			2045
1000×2000	1000	2000	1930	2150	2450	75	110	110	150	150			2098

■規格表

呼 び 名 (h × a)	寸 法 (mm)												参考重量 (kg)
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m	L	
1100×1100	1100	1100	1030	1260	1360	80	115	115	50	150			1801
1100×1200	1100	1200	1130	1360	1460	80	115	115	50	150			1856
1100×1300	1100	1300	1230	1460	1560	80	115	115	50	150			1911
1100×1400	1100	1400	1330	1560	1660	80	115	115	50	150			1967
1100×1500	1100	1500	1430	1660	1860	80	115	115	100	150			2022
1100×1600	1100	1600	1530	1760	1960	80	115	115	100	150	30	2000	2077
1100×1700	1100	1700	1630	1860	2060	80	115	115	100	150			2132
1100×1800	1100	1800	1730	1960	2160	80	115	115	100	150			2187
1100×1900	1100	1900	1830	2060	2360	80	115	115	150	150			2243
1100×2000	1100	2000	1930	2160	2460	80	115	115	150	150			2298
1100×2100	1100	2100	2030	2260	2560	80	115	115	150	150			2353

呼 び 名 (h × a)	寸 法 (mm)												参考重量 (kg)
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m	L	
1200×1200	1200	1200	1120	1370	1470	85	125	125	50	150			2107
1200×1300	1200	1300	1220	1470	1570	85	125	125	50	150			2167
1200×1400	1200	1400	1320	1570	1670	85	125	125	50	150			2227
1200×1500	1200	1500	1420	1670	1770	85	125	125	50	150			2287
1200×1600	1200	1600	1520	1770	1970	85	125	125	100	150			2347
1200×1700	1200	1700	1620	1870	2070	85	125	125	100	150	30	2000	2407
1200×1800	1200	1800	1720	1970	2170	85	125	125	100	150			2467
1200×1900	1200	1900	1820	2070	2270	85	125	125	100	150			2527
1200×2000	1200	2000	1920	2170	2470	85	125	125	150	150			2587
1200×2100	1200	2100	2020	2270	2570	85	125	125	150	150			2647
1200×2200	1200	2200	2120	2370	2670	85	125	125	150	150			2707

呼 び 名 (h × a)	寸 法 (mm)												参考重量 (kg)
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m	L	
1300×1300	1300	1300	1210	1490	1590	95	140	140	50	150			2542
1300×1400	1300	1400	1310	1590	1690	95	140	140	50	150			2609
1300×1500	1300	1500	1410	1690	1790	95	140	140	50	150			2676
1300×1600	1300	1600	1510	1790	1890	95	140	140	50	150			2744
1300×1700	1300	1700	1610	1890	2090	95	140	140	100	150			2811
1300×1800	1300	1800	1710	1990	2190	95	140	140	100	150	30	2000	2878
1300×1900	1300	1900	1810	2090	2290	95	140	140	100	150			2945
1300×2000	1300	2000	1910	2190	2390	95	140	140	100	150			3012
1300×2100	1300	2100	2010	2290	2590	95	140	140	150	150			3080
1300×2200	1300	2200	2110	2390	2690	95	140	140	150	150			3147
1300×2300	1300	2300	2210	2490	2790	95	140	140	150	150			3214

規格表

呼び名 (h × a)	寸法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
1400×1400	1400	1400	1310	1610	1710	105	150	150	50	150			2948
1400×1500	1400	1500	1410	1710	1810	105	150	150	50	150			3020
1400×1600	1400	1600	1510	1810	1910	105	150	150	50	150			3092
1400×1700	1400	1700	1610	1910	2010	105	150	150	50	150			3164
1400×1800	1400	1800	1710	2010	2210	105	150	150	100	150			3236
1400×1900	1400	1900	1810	2110	2310	105	150	150	100	150	30	2000	3308
1400×2000	1400	2000	1910	2210	2410	105	150	150	100	150			3380
1400×2100	1400	2100	2010	2310	2510	105	150	150	100	150			3452
1400×2200	1400	2200	2110	2410	2710	105	150	150	150	150			3524
1400×2300	1400	2300	2210	2510	2810	105	150	150	150	150			3596
1400×2400	1400	2400	2310	2610	2910	105	150	150	150	150			3668

呼び名 (h × a)	寸法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
1500×1700	1500	1700	1600	1920	2020	110	160	160	50	250			3578
1500×1800	1500	1800	1700	2020	2120	110	160	160	50	250			3655
1500×1900	1500	1900	1800	2120	2320	110	160	160	100	250			3732
1500×2000	1500	2000	1900	2220	2420	110	160	160	100	250			3808
1500×2100	1500	2100	2000	2320	2520	110	160	160	100	250			3885
1500×2200	1500	2200	2100	2420	2620	110	160	160	100	250	30	2000	3962
1500×2300	1500	2300	2200	2520	2820	110	160	160	150	250			4039
1500×2400	1500	2400	2300	2620	2920	110	160	160	150	250			4116
1500×2500	1500	2500	2400	2720	3020	110	160	160	150	250			4192
1500×2600	1500	2600	2500	2820	3120	110	160	160	150	250			4269
1500×2700	1500	2700	2600	2920	3320	110	160	160	200	250			4346

呼び名 (h × a)	寸法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
1600×1800	1600	1800	1690	2030	2130	115	170	170	50	250			4004
1600×1900	1600	1900	1790	2130	2230	115	170	170	50	250			4086
1600×2000	1600	2000	1890	2230	2430	115	170	170	100	250			4167
1600×2100	1600	2100	1990	2330	2530	115	170	170	100	250			4249
1600×2200	1600	2200	2090	2430	2630	115	170	170	100	250			4330
1600×2300	1600	2300	2190	2530	2730	115	170	170	100	250	30	2000	4412
1600×2400	1600	2400	2290	2630	2930	115	170	170	150	250			4494
1600×2500	1600	2500	2390	2730	3030	115	170	170	150	250			4575
1600×2600	1600	2600	2490	2830	3130	115	170	170	150	250			4657
1600×2700	1600	2700	2590	2930	3230	115	170	170	150	250			4738
1600×2800	1600	2800	2690	3030	3430	115	170	170	200	250			4820

■規格表

呼び名 (h × a)	寸法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
1800×2000	1800	2000	1880	2240	2440	120	180	180	100	250			4686
1800×2100	1800	2100	1980	2340	2540	120	180	180	100	250			4772
1800×2200	1800	2200	2080	2440	2640	120	180	180	100	250			4859
1800×2300	1800	2300	2180	2540	2740	120	180	180	100	250			4946
1800×2400	1800	2400	2280	2640	2940	120	180	180	150	250			5032
1800×2500	1800	2500	2380	2740	3040	120	180	180	150	250	30	2000	5118
1800×2600	1800	2600	2480	2840	3140	120	180	180	150	250			5204
1800×2700	1800	2700	2580	2940	3240	120	180	180	150	250			5291
1800×2800	1800	2800	2680	3040	3440	120	180	180	200	250			5377
1800×2900	1800	2900	2780	3140	3540	120	180	180	200	250			5464
1800×3000	1800	3000	2880	3240	3640	120	180	180	200	250			5550

呼び名 (h × a)	寸法 (mm)											参考重量 (kg)	
	h	a	b	c	d	t ₁	t ₂	t ₃	t ₄	r	m		L
2000×2400	2000	2400	2270	2650	2950	125	190	190	150	250			5600
2000×2500	2000	2500	2370	2750	3050	125	190	190	150	250			5691
2000×2600	2000	2600	2470	2850	3150	125	190	190	150	250			5782
2000×2700	2000	2700	2570	2950	3250	125	190	190	150	250	30	2000	5874
2000×2800	2000	2800	2670	3050	3450	125	190	190	200	250			5965
2000×2900	2000	2900	2770	3150	3550	125	190	190	200	250			6056
2000×3000	2000	3000	2870	3250	3650	125	190	190	200	250			6147